

Date: January 23, 2022

Ref. No.


Subject: Invitation of Quotation/Proposal for Equipment and Hardware Infrastructure for Capital Market Stabilization Fund (CMSF).

Dear Concern,

CMSF is inviting for Quotations / Proposals from prospective Suppliers / Authorized representative such as Partner, Reseller, Distributors for providing following Item/service:


Technical Specification for Laptop

SL No.	Description	Specifications
01	Brand	HP/DELL/Lenovo
02	Model	Brand standard model
03	CPU Technology	Intel Core i7; 10/11 th Generation Processor (12M Cache, 2.80 GHz Base Processor) or higher
04	Operating System	Genuine Windows 10
05	Chipset	Intel original chipset
06	System Memory	8 or 16 GB DDR4
07	Display	14" FHD or higher
08	Graphics	Model standard
09	Hard Disk	512 GB PCIe NVMe M.2 SSD
10	Communications and Interfaces	HDMI, USB, Gigabit Ethernet Connection, Bluetooth Wireless, integrated in Wi-Fi and other defaults
11	Built-in Camera	Model Standard
12	Sound System	Model Standard
13	Battery Type	Model standard
14	Security and Protection	Model standard
15	Carry Bag	Model Standard Carry Bag
16	Weight	Model standard
17	Color Variation	Model standard
18	Warranty	2 (Two) years or more
19	Delivery	From Ready Stock
20	Quantity	Fifteen (15)



Technical Specification of Desktop Computer

1	Brand	HP/Dell/Lenovo
2	Model	Compatible model with specifications
3	Processor	Intel 10 th Gen Corei7 or higher; Minimum 2.9 GHZ, base processor speed
4	Operating System	Genuine Windows 10
5	Cache Memory	16MB or higher
6	Mother Board	Intel® original Chipset
7	RAM	8 GB DDR4
8	SSD	256 GB
9	HDD	1TB SATA 7200 RPM
10	Graphics Adapter	Brand Standard
11	Sound Card	Brand Standard
12	Network Interface	Brand Standard
13	Optical Drive	DVD-ROM; Brand Standard
14	Keyboard	Brand Standard
15	Mouse	Brand Standard
16	Casing	Brand Standard
17	Monitor	Brand Standard 18.5 inches Monitor
18	Warranty	3 Years Warranty or brand standard
19	Operating System	Genuine Windows 10 Pro
20	Delivery	From Ready Stock
21	Quantity	Fifteen (15)



Technical Specification for Scanner

Sl.	Description	Specifications
1	Brand & Model	HP ScanJet Pro 4500 fn1 or Equivalent reputed brand scanner
2	Scanning Method	Flatbed, ADF; Colour scanning: Yes
3	Resolution	Up to 1200 x 1200 dpi and Output: 75; 150; 200; 240; 300; 400; 500; 600; and 1200
4	Memory	1 GB
5	Speed	Up to 30 ppm/60 ipm (b&w, gray and colour, 300 dpi)
6	Duty Cycle	Up to 4,000 pages (ADF), 100 pages (Flatbed)
7	Output File Format	For text & images: PDF, JPEG, PNG, BMP, TIFF, TXT (Text), RTF (Rich Text) and searchable PDF
8	Paper Format	Paper (banner, inkjet, photo, plain), envelopes, labels, cards (greeting, index) and other defaults
9	Duplex Scan	Duplex ADF scanning, Single-pass E-Duplex, Scan Mode: Scan front-panel function: Save as PDF, Save as JPEG, E-mail as PDF and other defaults.
10	Optical Sensor	CMOS CIS (Contact Image Sensor)
11	Media size	Letter; Legal; Executive; A4; A5; A6; B5; B5 (JIS)and other defaults
12	Control Panel	7.11-cm (2.8-in) Touchscreen, Buttons (Back, Home, Help)
13	Interface	USB 3.0 (Super Speed); Built-in Fast Ethernet 10/100/1000Base-TX network port, Network: Build-in Ethernet, Wi-Fi 802.11 b/g/n
14	Scanning Advanced Features	Blank page removal; Auto orientation; Auto color detect; Auto crop
15	OS Compatibility	Windows 10 (32-bit/64-bit), Windows 8.1 (32-bit/64-bit), Windows 8 (32-bit/64-bit), Windows 7 (32-bit/64-bit); Mac OS X Mavericks 10.9, OS X Yosemite 10.10
16	Warranty	Minimum 1 (One) Year
17	Delivery	From Ready Stock
18	Quantity	One (01)



Technical Specification for Photo Copier

Feature	Specification
Brand:	To be mention by Bidder
Model:	To be mention by Bidder
Standard Function:	Copy + USB Print + Color Scan
Country of Origin:	To be mention by Bidder
Country of Manufacture:	To be mention by Bidder
Copying Method:	Indirect Electrostatic Photographic Method / Laser Beam Printing
Developing System:	Dual Component Magnetic Brush Development
Copying Speed:	Mini. 24 Copies per Minute in A4
First Copy of Time:	6.4 Seconds
Warm-up Time:	Max. 25 Seconds
Max. Copy Sizes:	Max A3 (11" x 17"), Min A6R
Paper Weight:	Drawer: 55 - 105 g/m ² , Bypass: 55 - 200 g/m ²
Memory:	Mini. 64 MB RAM
Standard Paper Capacity:	350 Sheets (1 x 250 Sheets Cassette + 100 Sheets Bypass Tray)
Zoom Range	25% to 400% in 1% Increments
Continuous Copy	1 to 999 Copies
Resolution:	600 x 600 dpi
Account Control:	20 Accounts
Dimensions: (W x D x H)	599 x 612 x 511 mm
Weight:	Approx. 29 Kg
Power Consumption:	Max. 1.2 kW
Power Supply:	Rated Local AC Voltage ± 10%, 50/60 Hz
PRINTER	USB Printer Built In
Print Speed:	Mini. 24 Pages per Minute in A4
Interface:	USB 2.0
Supported OS:	Windows Vista® / ® 7 / ® 8 / ® 8.1
Resolution:	600 x 600 dpi
COLOR SCANNER:	Built In
Scan Sizes	Up to A3
File Format:	BMP, TIFF
Protocol:	TWAIN, WIA
Warranty:	1 st year full including Mother board, 2 nd year service only.
Quantity	One (01)



Technical Specification for B/W Laser Printer

Feature	Specification
Brand:	To be mention by Bidder
Country of Origin:	To be mention by Bidder
Country of Manufacture:	To be mention by Bidder
Power Consumption	420 watts (active printing), 2.0 watts (ready), 0.5 watts (sleep), 0.5 watts (Auto Off/Wake on USB, enabled at shipment), 0.04 watts (Auto-off/Manual-on), 0.04 (Manual Off)
Dimensions	355 x 279.5 x 205 mm
Weight	5.6 kg (Around)
Color	any
Print Speed	<=10
First-Print-Out Time	As fast as 6.9 sec (letter, ready) As fast as 7 sec (A4, ready) As fast as 7.6 sec (letter, sleep)
Resolution	Up to 600 x 600 dpi
Duplex Printing	Automatic (standard)
Print Technology	Laser
Paper Size	A4; A5; A6; B5 (JIS)
Paper Type	Paper (laser, plain, rough, vellum), envelopes, labels, cardstock, postcard
Paper Weight	60 to 163 g/m ²
Input Capacity	Up to 150 sheets
Output Capacity	Up to 100 sheets
Monthly Print Volume	200 to 2,000
Duty-Cycle	Up to 20,000
LAN	1x Fast Ethernet 10/100Base-TX
Wi-Fi	1x Dual-band (2.4/5.0GHz) Wireless 802.11b/g/n with Bluetooth Low Energy
USB	1x Hi-Speed USB 2.0
Warranty	1 year
Quantity	One (1)

Technical Specification for Color Laser Printer

Feature	Specification
Brand:	To be mention by Bidder
Country of Origin:	To be mention by Bidder
Country of Manufacture:	To be mention by Bidder
Display	2-line graphical LCD display Display area (metric): 44.88 x 12.65 mm
Power	Internal (built-in) Power Supply 110-volt input voltage: 110 to 127 VAC (+/- 10%), 50 Hz (+/- 3 Hz) , 60 Hz (+/- 3 Hz); 220-volt input voltage: 220 to 240 VAC (+/- 10%), 50 Hz (+/- 3 Hz), 60 Hz (+/- 3 Hz)(Not dual voltage, product varies by part number with # Option code identifier)
Dimensions	Dimensions without stand (W x D x H): 392 x 385.8 x 247.5 mm Package dimensions (W x D x H): 498 x 298 x 464 mm Maximum dimensions (W x D x H): 392 x 435 x 247.5 mm
Weight	13.8 kg (Around)
Color	Any
Print Speed	Print Speed PPM (Black): 21ppm Print Speed PPM (Color): 21ppm
Warm-Up Time	As fast as 52 sec
First-Print-Out Time	10.5sec (Black), 12.2sec (Color)
Resolution	Up to 600 x 600 dpi
Print Technology	Print technology: Laser
Paper Size	Paper Size Minimum: A6 Paper Size Max.: A4 Print Paper Size: Letter, Legal, Executive, Oficio, A4, A5, A6, B5, B6, Oficio, 16K, Postcard(JIS), Double Postcard(JIS), Envelope Monarch, Envelope B5, Envelope C5, Envelope DL, A5-R
Paper Type	bond, brochure, colored, glossy, heavy, letterhead, light, photo, plain, pre-printed, prepunched, recycled, rough), transparencies, labels, envelopes, cardstock
Paper Weight	60 to 163 g/m ²
Input Capacity	250 Sheet
Output Capacity	100 Sheet
Monthly Print Volume	Recommended monthly page volume: 150 to 2500
Duty-Cycle	Up to 40,000 pages
Color Output	Color and Black
LAN	via built-in 10/100 Base-TX Ethernet; authentication via 802.1X
Wi-Fi	Yes
USB	Hi-Speed USB 2.0 port
Warranty	01 year warranty
Quantity	One (1)

Technical Specification for Heavy Duty Color Laser Network Printer

Feature	Specification
Brand:	To be mention by Bidder
Country of Origin:	To be mention by Bidder
Country of Manufacture:	To be mention by Bidder
Display	2-line, 16-character backlit display
Power	Input voltage: 220 to 240 VAC (+/- 10%), 50 Hz (+/- 2 Hz), 6 A
Dimensions	Minimum dimensions (W x D x H): 545 x 599 x 338 mm Maximum dimensions (W x D x H): 862 x 1066 x 370 mm
Weight	40.9 kg(Around)
Color	Any
Print Speed	Print speed black: Normal: Up to 20 ppm Print speed color: Normal:Up to 20 ppm
First-Print-Out Time	Black: As fast as 16 sec and Color: As fast as 17 sec
Resolution	Up to 600 x 600 dpi (Color and Black)
Duplex Printing	Manual (driver support provided)
Print Technology	Laser
Paper Size	Media sizes supported Tray 1: A3, A4, A5, A6, RA3, SRA3, B4, B5, 10x15 cm envelopes (DL, C5, B5) Tray 2: A3, A4, A5, B4, B5 Optional tray 3: A3, A4, B4, B5 Media sizes, custom Tray 1: 76 x 127 to 320 x 457 mm; 250-sheet input Tray 2: 148 x 182 to 297 x 432 mm; optional 500-sheet input Tray 3: 148 x 210 to 297 x 432 mm
Paper Type	Paper (bond, brochure, colored, glossy, letterhead, photo, plain, preprinted, prepunched, recycled, rough), cardstock, glossy film, transparencies, labels, envelopes
Paper Weight	Tray 1: 60 to 220 g/m ² , Tray 2, optional Tray 3: up to 120 g/m ² plain papers, up to 160 g/m ² coated papers
Input Capacity	250-sheet input tray Optional 500-sheet input tray 3
Output Capacity	250-sheet face-down output bin
Monthly Print Volume	1500 to 5000
Duty-Cycle	Up to 75,000 pages
Color Output	Color
Others	Memory: 192 MB Maximum Memory: 448 MB
LAN	built-in Fast Ethernet 10/100Base-TX
USB	Hi-Speed USB 2.0
Warranty	01-year warranty
Quantity	One (1)



Technical Specification for Tab and Other Accessories

Item Name	Item Description	Quantity
Network Cable with fixing accessories for office;	UTP cabling for almost 48 faceplate outlet networking with a 15U wall-mount-rack and patch panel; the installation lot includes all sorts of UTP (Cat 6; reputed brand) cabling with installation pipes, channels etc.; design and location will be provided later-on; the installation will be done job basis; the task may be done with interior decoration;	01 (one) Lot
Network device for office;	24 port 1G/FE Switch, 5 Wi-Fi AP, broadband router for Internet connection of ISP connection with network etc. for office network;	Qty: 1 Sw + 5 Wi-Fi-AP
Tab;	Brand: Samsung/HP/Dell/Lenovo; Screen size 10 inch; 2400x1400 pixel resolution; 250ppi; minimum 1GHz quad processor; RAM 3GB; Internal Storage 32GB; Micro SD supported (up to 128GB); Camera minimum 8Mpix front; Wi-Fi 802.11 b/g/n/ac; audio output jack with built-in speaker + mic; Bluetooth, GPS, NFC, Gyroscope etc.;	5 (five)



Technical Specification for 650VA UPS for Desktop

Sl.	Description	Specifications
1	Brand	Emerson (vertiv) or equivalent reputed brand
2	Capacity	650 VA
3	Input Voltage (single phase + N)	100V / 110V +/-20%, 120V -20%, +15% 220V / 230V / 240V, 160V ~ 270V at line input
4	Output Voltage	220 VAC +/- 5%
5	Frequency (On Battery)	50 or 60Hz +/- 1Hz
6	Short Circuit	UPS output cut off immediately
7	Battery	100% Sealed Maintenance free Lead Acid
8	Typical Recharge Time (to 90% of full capacity)	6 Hours
9	Backup Time	Minimum 10 min at FULL LOAD
10	Warranty	Minimum 01 (one) year
11	Delivery	From Ready Stock
12	Quantity	15



Term & Conditions:

01. One DeskTop Computer will be DVD writer Installed
02. One LapTop will will be DVD writer Installed
03. Product will be delivered at Bangladesh Institute of Capital Market (BICM), BGIC Tower, 9th Floor, 34, Topkhana Road, Dhaka-1000.
04. All Price will be Quoted Including VAT and Tax (Product Price + VAT+Tax)
05. The above mentioned products will be received from you at the quoted rate;
06. Products/Services should meet the minimum requirements stated in the RFQ/RFP;
07. Products/services should be covered by Guarantee & Warranty (if necessary);
08. Products that does not match with the **minimum specification** mention in RFQ will not be received and paid for;
09. Payment would be made after satisfactory receipt
10. The supplier should submit a Bank Guarantee of 10% of the total bill amount for the warranty period.
11. If the supplier fails to ensure the support during warranty period CMSF will forfeit the Bank Guarantee.
12. BIN (Business Identification No.) & TIN (Tax Identification NO) should be mentioned in quotation/proposal. Without BIN & TIN, quotation/proposal will not be accepted
13. Financial and Technical sealed offers to be submitted by potential companies within 15 working days to the Chairman, CMSF Negotiation and Procurement Committee, 9th Floor, Bangladesh Institute of Capital Market (BICM), BGIC Tower, 34 Topkhana Road, Dhaka. Please mark the envelope as "Request for Proposal on Supply and Installation of Equipment and Hardware Infrastructure for Capital Market Stabilization Fund (CMSF)"
14. Please note that CMSF reserves the right to accept or reject the any offer without assigning any reason whosoever in this connection.

